

PRODUCT INFORMATION

| | |
|---|--|
| Tag | C-Flag Tag |
| Target | PACR |
| Synonyms | PAC1, PAC1R, PACAPR, PACAPRI |
| Description | Human PACR full length protein-synthetic nanodisc |
| Delivery | 6~8weeks |
| Uniprot ID | P41586 |
| Expression Host | HEK293 |
| Protein Families | GPCR,Transmembrane,Druggable Genome, |
| Protein Pathways | GPCRDB Class B Secretin-like,Cancer,Neurotrophin & Receptors, |
| Molecular Weight | The human full length PACR protein has a MW of 53.3kDa Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. |
| Formulation & Reconstitution | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| Storage & Shipping | |
| Background | This gene encodes type I adenylate cyclase activating polypeptide receptor, which is a membrane-associated protein and shares significant homology with members of the glucagon/secretin receptor family. This receptor mediates diverse biological actions of adenylate cyclase activating polypeptide 1 and is positively coupled to adenylate cyclase. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified. [provided by RefSeq, Dec 2010] |
| Usage | Research use only |
| Conjugate | Unconjugated |

