Cat. No. FLP120096



## **PRODUCT INFORMATION**

Warning: Undefined variable ShasAttributeValueDescription in C\u00e4wroot\u00fcmirror.dimabio.com\u00e4wp-content\plugins\u00e4woocommerce-print-products\u00e4public\u00e7class-woocommerce-print-products-public.php on line 2806 C-flagStrep C-flagStrep (1) Tag

PTGER2

Synonyme

Human PTGER2-Strep full length protein-synthetic nanodisc

Description Delivery 6~8weeks Uniprot ID P43116 Expression Host HEK293


Protein Families Druggable Genome, GPCR, Transmembrane Neuroactive ligand-receptor interaction Protein Pathways

Molecular Weight The human full length PTGER2-Strep protein has a MW of 39.6 kDa

OINIARIO CONTINUINIARIO CONTINUINIAR Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution Storage & Shipping

ryopinication: resease see Lettincate or Analysis for Specific Instructions of reconstitution. Store at -20°C to -80°C for 12 months in hyophitized form. After reconstitution, fro themded for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. This gene encodes a receptor for prostaglandin E.2, a metabolite of aractinionic acid which has different biologic activities in a wide range of tissues. Mutations in this gene are associated with aspirin-induced susceptibility to astima. [provided by RefSeq. Oct 2009] Research use only Background

Usage Conjugate Unconjugated



Email: info@dimabio.com Website: www.dimabio.com

