Cat. No. FLP100645



PRODUCT INFORMATION

Warning: Undefined variable \$hasAttributeValueDescription in C:\\www.root\\mirror.dimablo.com\\wp-content\plugins\\woocommerce-print-products-public.php on line 2806
CFlag Tag
SCNNG Tag

BESC3, ENaCg, ENaCgamma, LDLS2, PHA1, SCNEG Synonyme Description Delivery Human SCNNG full length protein-synthetic nanodisc

6~8weeks Uniprot ID P51170 HEK293 Expression Host Protein Families Ion Channels: Other

Protein Pathways

Molecular Weight The human full length SCNNG protein has a MW of 74.3kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

DIMARIO CONTINUE DE LA CONTINUE DE L ryopimization. Presets exe Letinicate or Analysis for Specific Instructions of reconstitution.

Store at 2-20°C to 80°C for 12 cmonths in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Nonvoltage-gated, amilioride-stribity, sodium channels control fluid and electrolyte transport across epithelia in many organs. These channels are heteromeric complexes consisting of 3 subunits: alpha, beta, and gamma. This gene encodes the gamma subunit, and mutations in this gene have been associated with Liddle syndrome. [provided by RefSeq, Apr 2009]

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only Conjugate

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

