

PRODUCT INFORMATION

Warning: Undefined variable shasAttributeValueDescription in C\(\text{Nwwwroot\)mirror.dimabio.com\wp-content\plugins\\woocommerce-print-products-public.php on line 2806
CFlag Tag
SCTR
Cp. Tag

Synonyme

Human SCTR full length protein-synthetic nanodisc

Description Delivery 6~8weeks Uniprot ID P47872 Expression Host HEK293

Protein Families Transmembrane, Druggable Genome GPCRDB Class B Secretin-like,Cancer, Protein Pathways

Molecular Weight The human full length SCTR protein has a MW of 50.2kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Storage & Shipping

Olinia in the second of the se syupminication: recease see Letinicate or Analysis for Specific Instructions of reconstitution. Store at -20°C to -80°C for 12 cmonths in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

The protein encoded by this gene is a G protein-coupled receptor and belongs to the glucagon-VIP-secretin receptor family. It binds secretin which is the most potent regulator of pancreatic bicarbonate, electrolyte and volume secretion. Secretin and its receptor are suggested to be involved in pancreatic cancer and autism. [provided by RefSeq. Jul 2008]

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only Conjugate

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

