

PRODUCT INFORMATION

| | |
|---|---|
| Clone ID | DM1 |
| Target | His Tag |
| Synonyms | his tag |
| Host Species | Rabbit |
| Description | PE-conjugated Anti-His Tag Antibody(DM1); Rabbit mAb |
| Delivery | 3-4 weeks |
| IgG type | Rabbit IgG |
| Clonality | Monoclonal |
| Reactivity | Detects proteins containing accessible consecutive histidine regions. The antibody detects His tags localized at the amino- or carboxyl- terminus. |
| Applications | Flow Cyt |
| Recommended Dilutions | Flow Cyt 1:100 |
| Purification | Purified from cell culture supernatant by affinity chromatography |
| Formulation & Reconstitution | Liquid□PBS with 0.05% Proclin300, 1% BSA |
| Storage & Shipping | Store at 2°C-8°C for 6 months |
| Background | The rabbit immune system generates antibody diversity and optimizes affinity. Anti-His Tag Antibody(DM1); Rabbit mAb is specific to six histidine tags placed at C-terminal and internal regions of fusion proteins. This antibody can greatly improve the effectiveness of several different kinds of immunoassays; helping researchers identify; detect; and purify polyhistidine fusion proteins in bacteria; insect cells; and mammalian cells. |
| Usage | Research use only |
| Conjugate | PE-conjugated |
| DIMA Disclaimer | All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. |

