

PRODUCT INFORMATION

Clone II	D	DMC287
Target		NKG2D
Synony	ms	NKG2D;CD314;KLRK1;NK cell receptor D
Host Sp	oecies	Rabbit
Descrip	tion	PE-conjugated Anti-NKG2D antibody(DMC287); IgG1 Chimeric mAb
Deliver	У	3-4 weeks
Uniprot	ID	P26718
lgG typ	e	Rabbit/Human Fc chimeric IgG1
Clonalit	y	Monoclonal
Reactiv	ity	Human
Applica	tions	Flow Cyt
Recomr Dilutior		Flow Cyt 1:100
Purifica		Purified from cell culture supernatant by affinity chromatography
Formula Recons		Liquid PBS with 0.05% Proclin 300, 1% BSA
Storage	e & Shipping	Store at 2°C-8°C for 6 months
Backgro	ound	Natural killer (NK) cells are lymphocytes that can mediate lysis of certain tumor cells and virus- infected cells without previous activation. They can also regulate specific humoral and cell- mediated immunity. NK cells preferentially express several calcium-dependent (C-type) lectins; which have been implicated in the regulation of NK cell function. The NKG2 gene family is located within the NK complex; a region that contains several C-type lectin genes preferentially expressed in NK cells. This gene encodes a member of the NKG2 family. The encoded transmembrane protein is characterized by a type II membrane orientation (has an extracellular C terminus) and the presence of a C- type lectin domain. It binds to a diverse family of ligands that include MHC class I chain-related A and B proteins and UL-16 binding proteins; where ligand-receptor interactions can result in the activation of NK and T cells. The surface expression of these ligands is important for the recognition of stressed cells by the immune system; and thus this protein and its ligands are therapeutic targets for the treatment of immune diseases and cancers. Read-through transcription exists between this gene and the upstream KLRC4 (killer cell lectin-like receptor subfamily C; member 4) family member in the same cluster.
Usage		Research use only
Conjuga	ate	PE-conjugated
Address: Wu	isclaimer Jhan institute of	
Biotechnology B7, Biolake No.666 Website: www.dimabio.com Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)		

Cat. No. DMC100287P



MARIO CONTRACTION

Email: info@dimabio.com Website: www.dimabio.com

